



SAKARYA GAS FIELD DEVELOPMENT PROJECT

CONTRACT NO: SC26-PRJ-PU-CNT-00179

ENVIRONMENTAL AND SOCIAL IMPACT ASSESSMENT (ESIA)

Chapter 13 References

COMPANY Doc. No SC26-OTC-PRJ-EN-REP-000030



CONTRACTOR Project No. 214970791

01	28/09/2022	Issued for Approval	Olga Moretti	Beyza Kozak	Giovanni Torchia	
00	08/09/2022	Issued for Review	Olga Moretti	Beyza Kozak	Giovanni Torchia	
Rev. N°	Date	Issue Type	Prepared by	Checked by	Approved by	COMPANY Acceptance Code
					Classification:	Internal

REVISION TRACKING TABLE		
Rev. N°	Modification Description	Modified Page No.
00	Issued for review	N/A
01	Issued for approval	N/A

Information Classification

Code	Description of Information Classification
PUBLIC	Information and data that may be shared without restrictions because it is unlikely to result in any harm if disclosed to outside parties. Permission to actually release information to the public must be obtained separately through External Affairs
INTERNAL	Information and data that may be freely shared with staff in Engineer, Client and Partners, and contracted companies and individuals bounded by confidentiality agreements.
RESTRICTED	Only 5-10% of document content with such information classification can be released by Document Owner (or with his delegation) to identified recipients.
CONFIDENTIAL	Information that is extremely sensitive, of the highest value to the company and individuals and intended for use by named individual(s) only.

REFERENCES

Chapter 4.0 – Alternative Analysis

“World Bank. 2022. Türkiye - Country Climate and Development Report. Washington, DC: World Bank. © World Bank. <https://openknowledge.worldbank.org/handle/10986/37521> License: CC BY 3.0 IGO.”

Equator Principles. 2020. Equator Principles: EP4. Retrieved from [The Equator Principles EP4 July2020 \(equator-principles.com\)](https://www.equator-principles.com)

Government of Canada. 2022. Global Greenhouse Gas Emissions. Retrieved from [Global greenhouse gas emissions - Canada.ca](https://www150.statcan.gc.ca/n1/pub/28-263-x/2022001/article/00001-eng.htm)

Turkish Statistical Institute. 2021. Turkish Greenhouse Gas Inventory 1990-2019: National Inventory Report for Submission Under United Nations Convention on Climate Change. Retrieved from [Turkey. 2021 National Inventory Report \(NIR\) | UNFCCC.](https://www.unfccc.int/national-inventories/ghg-inventories)

Chapter 6.1 – Socioeconomic Baseline

Aksoy, Erman & Yıldırım, Şahin. (2017). Rise and Fall of Tios-Tieion. IOP Conference Series: Materials Science and Engineering. 245. 072013. 10.1088/1757-899X/245/7/072013.

Atış, E., & Çelikoğlu, Ş. (2019). Sosyo-ekonomik ve çevresel yönleriyle Filyos Vadi Projesi. *International Social Sciences Studies Journal*, 5(29), 49-68. (Atlas, 2009)

General Directorate of Health Services, General Directorate of Public Health (2019)

IFC Annual Report (2012)

Karağuz, G., AKIŞ, A., KUNT, İ.H., Zonguldak Bölgesi Arkeoloji, Eskiçağ Tarihi ve Coğrafya Araştırmaları, Konya: Çizgi kitapevi, 2010, sf. 137, 139, 140, 143.

Ministry Of Agriculture And Forests Directorate Of Aquaculture Central Research Institute Trabzon - Technical Report (2021)

Nature Conservation and National Parks Directorate, Zonguldak Nature Tour Development Plan, 2013 Turkey Transportation Authority General Directorate (TTK) workshops in miner sculpture and relief, miner lighthouse, table-top nameplate, model ram wagon are among the products of production culture reflecting souvenirs, model ships of ship modelists.

Socio-Economic Household Survey, 2022 - [BTI 2022 Turkey Country Report: BTI 2022 \(bti-project.org\)](https://bti-project.org)

Strabon, Geographika (The Geography of Strabon), (Antik Anadolu Coğrafyası: XII.III.8) çev. A. Pekman, İstanbul 1993.

Turgut, Muhammed & Şahin, Zekeriya & Şahin, Ahmet Yavuz. (2020). Zonguldak'in Lojistik Potansiyeli Ve Mevcut Durum Analizi. IBAD Sosyal Bilimler Dergisi.

TURKSTAT - [Turkish Statistical Institute \(TURKSTAT\) \(tuik.gov.tr\)](https://www.tuik.gov.tr)

Title:	Chapter 13 References	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	2 of 25
Rev. :	01		

ZÇŞİM - Türkiye Cumhuriyeti Zonguldak Valiliği Çevre Ve Şehircilik İl Müdürlüğü Zonguldak İli 2019 Yılı Çevre Durum Raporu Hazırlayan: Zonguldak Çevre Ve Şehircilik İl Müdürlüğü Çed Ve Çevre İzinleri Şube Müdürlüğü Zonguldak – 2020

Zengin, M., Karakulak, F.S., Yıldız, T., Uzer, U., Akpınar, İ., 2020. Estimation of Demersal Fish Stocks in the Western Black Sea '. Project No: TAGEM/HAYSÜD /2011/09/02/06. Trabzon Aquaculture Central Research Institute Directorate, Fisheries Management Department, Istanbul University, Aquaculture Faculty, 204 p.

Zonguldak Provincial Environmental Status Report for 2020, 2021 (https://webdosya.csb.gov.tr/db/ced/icerikler/2020_zonguldak_-cdr-20210702095615.pdf).

Chapter 6.2.1 – Onshore Physical Baseline

“Drinking Water Quality Guidelines” developed by the World Health Organization (2011).

“European Union Directive on the Quality of Water Intended for Human Consumption” no. 98/83/EC dated 3 November 1998.

“Irrigation Water Standards” of the US Salinity Laboratory, Diagnosis and Improvement of Saline and Alkali Soils (1954).

“Regulation of Water intended for Human Consumption” (İTASHY), Official Gazette No: 25730, Dated: 17.02.2005.

“Regulation on the Protection of Groundwater against Pollution and Deterioration” Official Gazette No. 28257 Date: 07.04.2012.

“Surface Water Quality Regulation” Official Gazette No: 28483, Date: 30.11.2012.

Ağaçayak, T. (2021). Analysis of the Impact of Coal Industry on Public Health and Environment in Zonguldak. İstanbul, Turkey.

Akar-Su Mühendislik Müşavirlik Ltd. Şti., (July 2019). Ministry of Agriculture and Forestry General Directorate of Water Management. Western Black Sea Basin Flood Management Plan, Ankara.

Akbaş, O., & Özdemir, S. M. (2002). Avrupa Birliğinde yaşam boyu öğrenme. *Milli Eğitim Dergisi*, 155(156), 112-126.

Akyol, e. (1974). Etudes palynologiques des veines du namurien et du westphalien a, recoupees par les ailes sud et est d'une galerie de cote—50 a asma, üzülmez-zonguldak.

Barka, A., Akyuz, H. S., Altunel, E. R. H. A. N., Sunal, G., Cakir, Z., Dikbas, A. Y. N. U. R., ... & Page, W. (2002). The surface rupture and slip distribution of the 17 August 1999 Izmit earthquake (M 7.4), North Anatolian fault. *Bulletin of the Seismological Society of America*, 92(1), 43-60. (Barka et al. 2002).

Çınar. (2020). Filyos Port/Industrial Zone Connection Project ESIA Report. Ankara, Turkey.

Çınar. (2022). Air and Noise Quality Laboratory Methodology. Etimesgut, Ankara, Turkey.

DenAr (2021). Hydrographic and oceanographic survey report. Sakarya Gas Field Project. Issued by DenAr Deniz Araştırmaları A.Ş. for Türkiye Petrolleri Anonim Association

Dil, N., & Konyalı, Y. (1978). Carboniferous of Zonguldak area. *IUGS Subcommission on Carboniferous Stratigraphy, field excursion on the Carboniferous stratigraphy in Turkey guidebook*, 5, 25. (Dil ve Konyalı, 1978) and refractory clay (Kerey, 1984; Yergök ve diğ., 1987).

- Elektrik İşleri Etüt İdaresi. (2009). Filyos Stream (ID:1335) – Derecikivan, Stream Gauge Data (1963 – 2009)
- Filyos (Zonguldak) Industrial Zone Basis of the Master Plan Geological – Geotechnical Survey Report, Geoteknik Mühendislik, May 2016.
- Filyos River (ID:1335) – Derecikivan, Stream Gauge Data, Elektrik İşleri Etüt İdaresi, 2009.
- IFC General EHS Guideline for Effluent Discharge Limits, 2007
- Karababa, A. G. (2021). Kadın çalışanların algıladıkları sosyal desteğin, iş ve yaşam doyumları üzerinde iş-aile yaşam ile aile-iş yaşam çatışmasının düzenleyici rolü.
- Kaya, O., Dizer, A., Tansel, İ. & Özer, S., 1986, Stratigraphy of the Upper Cretaceous-Paleogene in Yiğilca-Bolu (NW Turkey): Bulletin of the Mineral Research Exploration, 107, 1-20, Ankara
- Kaya, O.; Dizer, A.; Tansel, İ. and Meriç, E., 1982-1983, Stratigraphy of the Cretaceous in the Ereğli area, Zonguldak: MTA Bull., 99/100, 1-16, Ankara-Turkey. Ketin, İ. and Gümüş, Ö., 1963, Sinop-Ayancık güneyinin jeolojisi: TPAO Arama Grubu, Report, 288 (unpublished)..
- Keskinsezer, A. (2019). Determination of coal layers using geophysical well-logging methods for correlation of the Gelik-Zonguldak and Kazpınar-Amasra (Bartın) coalfields, Turkey. *Geomechanics and Geophysics for Geo-Energy and Geo-Resources*, 5(3), 223-235.
- Ketin, I. Anadolu'nun Tektonik Birlikleri. Maden Tetkik Arama Dergisi. 66, 1966, 20- 35.
- Ketin, I. and Gümüş, O. Sinop-Ayancık Güneyinde Üçüncü Bölgeye Dahil Sahaların Jeolojisi Hakkında Rapor, TPAO Rapor No: 288, 1963. Saner, S., Taner, İ., Aksoy, Z., Siyako, M., ve Bürkan, K. A. Safranbolu Havzasının Jeolojik Yapısı ve Tersiyer Paleocoğrafyası. Türkiye 5. Petrol Kongresi, 1980, 111-122.
- Ketin, I. Türkiye'nin Orojenik Gelişmesi. Maden Tetkik Arama Dergisi. 53, 1959, 78-86.
- Preparation of Basin Protection Action Plans Project West Black Sea Basin, TUBITAK – The Scientific and Technological Research Council of Turkey, Marmara Research Center, November 2013.
- Probabilistic Seismic Hazard Assessment Design Ground Motions for TP-OTC FİLYOS Natural Gas Processing Facility Site, Prof. Dr. Zeynep Gülerce-Middle East Technical University, April 2021.
- Ralli, G., Le bassin houiller d'Héraclée et la flore du Culm et du Houiller moyen, Istanbul: Zellitch Frères, 1933.Ralli (1933).
- Regulation on the Protection of Groundwater against Pollution and Deterioration (YSKBKHY) (Official Gazette No. 28257 Date: 07.04.2012).
- Renewable Energy List, EPDK - Energy Market Regulatory Authority of Turkey, 2022.
- Sakarya Gas Field Submarine Production Facilities, Submarine Transmission Lines and Onshore Natural Gas Processing Facility Integrated Project Report
- Sakarya Gas Field Submarine Production Facilities, Submarine Transport Lines and Gas Processing Facility Integrated Project EIA Report, Armada Danışmanlık, 08.09.2021
- Sakarya Gas Field Submarine Production Facilities, Submarine Transmission Lines and Onshore Natural Gas Processing Facility Integrated Project Report, AREN MÜŞAVİRLİK MÜHENDİSLİK LTD. ŞTİ., September 2021.
- Sakarya Gas Field-Onshore Production Facility Flood Risk Analysis, SUIŞ Proje Engineering and Consulting Co. Ltd., January 2022.

- Saner S., Siyako, S., Aksoy, Z., Bürkan, k.A. and demir, o 1980. Geology and petroleum possibilities of Zonguldak region. TPAo report No: 1021, 79 pp.
- Şaroğlu, F., Emre, Ö., & Boray, A. (1987). Türkiye'nin diri fayları ve depremsellikleri. MTA. Rap, 394
- Serdar, H. S., & Demir, O. (1983). Bolu. Mengen, Devrek dolayynyn Jeolojisi ve Petrol Olanaklary: Unpublished TPAO Report, Ankara.Serdar and Demir (1983).
- Tecer, L. H. (2007). Prediction of SO2 and PM Concentrations in a Coastal Mining Area (Zonguldak, Turkey) Using an Artificial Neural Network. Balıkesir, Turkey.
- Tokay, M. Filyos Çayı Ağızı-Amasra-Bartın-Kozcağız-Çaycuma Bölgesinin Jeolojisi. MTA Dergisi. 46-47. 1954-1955, 58-84. TOKER Drilling and Construction Engineering Consulting. Co., (July 2021). TP-OTC Filyos Natural Gas Processing Plant Analysis of Step-Drawdown Tests
- TP-OTC Filyos Natural Gas Processing Plant Analysis of Step-Drawdown Tests. TOKER Drilling and Construction Engineering Consulting. Co., July 2021.TP-OTC Filyos Natural Gas Processing Plant Stage 2-3-4 Soil and Foundation Investigations Geotechnical Evaluation Report, TOKER Drilling and Construction Engineering Consulting Co., April 2021.
- TUBITAK - The Scientific and Technological Research Council of Turkey. (November 2013). Marmara Research Centre, Preparation of Basin Protection Action Plans Project West Black Sea Basin.
- Western Black Sea Basin Flood Management Plan, Ministry of Agriculture and Forestry General Directorate of Water Management, Akar-Su Mühendislik Müşavirlik Ltd. Şti., July 2019.
- Yılmaz, Y., Genç, Ş. C., Gürer, F., Bozcu, M., Yılmaz, K., Karacık, Z., ... & Elmas, A. (2000). When did the western Anatolian grabens begin to develop?. Geological Society, London, Special Publications, 173(1), 353-384.Genç and Yılmaz (2000)

Chapter 6.2.2 – Onshore Biological Baseline

- Akbulut, N. E., Bayarı, S., Akbulut, A., Özyurt, N. N., & Sahin, Y. (2022). Rivers of Turkey. In Rivers of Europe (pp. 851-880). Elsevier.
- Akkaya Bas , A., Christiansen, F., Amaha Öztürk, A., Öztürk, B., & McIntosh, C. (2017). The effects of marine traffic on the behaviour of Black Sea harbour porpoises (*Phocoena phocoena relicta*) within the Istanbul Strait, Turkey. PLOS ONE.
- Ayyıldız, N., Toluk, A., Taşkıran, M., & Taşdemir, A. (2011). Two new records of the genera *Cepheus* CL Koch, 1835 and *Caleremaeus* Berlese, 1910 (Acari: Oribatida) from Turkey, with notes on their distribution and ecology. Türkiye Entomoloji Bülteni, 1(3), 145-150.
- Birben, U. (2019). The effectiveness of Protected Areas in Biodiversity Conservation: The Case of Turkey. CERNE, v. 25, n. 4, p.424-438.
- Bird Life International. (n.d.). Mediterranean/Black Sea Flyway. Retrieved from http://datazone.birdlife.org/userfiles/file/sowb/flyways/5_Mediterranean_Black_Sea_Factsheet.pdf
- BirdLife Intenrational. (2022). Yeşilırmak Delta. Retrieved from BirdLife International: <http://datazone.birdlife.org/site/factsheet/ye%C5%9Fil%C4%B1rmak-delta-iba-turkey>
- Bjorge, A., & Tolley, K. (2018). Encyclopedia of Marine Mammals (3rd ed.). Academic Press.

- Çiçek, Erdoğan & Fricke, Ronald & Sungur, Sevil & Eagderi, Soheil. (2018). Endemic freshwater fishes of Turkey. 4. 1-39.
- Eken, G., Isfendiyaroglu, S., Yeniuyurt, C., Erkol, I., Karataş, A., Ataol, M., & Crossman, N. (2016). Identifying key biodiversity areas in Turkey: a multi-taxon approach. *International Journal of Biodiversity Science, Ecosystem Services & Management*. 12.
- Ekim, T. ve ark; 2000. Türkiye Bitkileri Kırmızı Kitabı (Red Data Book of Turkish Plants). Türkiye Tabiatını Koruma Derneği. Yayın No:18.
- EUNIS. (2016). European Red List of Habitats – Part 1: Marine Habitats. Luxembourg: European Union.
- European Nature Information System (EUNIS), 2022. Retrieved from European Environment Agency website: <https://eunis.eea.europa.eu/index.jsp>
- General Directorate of Environmental Impact Assessment, Permit and Inspection (GDEIAPI), 2016. Ministry of Environment and Urbanization, Government of Turkey. State of the Environment Report for Republic of Turkey: <http://www.csb.gov.tr/gm/ced>
- Good, R. 1964. *The Geography of the Flowering Plants*, 3rd ed. London and Colchester: Spottiswoode, Ballantyne & Co. Ltd.
- Hacıoğlu, S., Dincer, E., İslar, C.T., Karapinar, Z., Ataseven, V.S., Özkul, A., Ergunay, K. (2017). A snapshot avian surveillance reveals West Nile virus and evidence of wild birds participating in Toscana virus circulation. *Vector-Borne Zoonotic Diseases* 17, 698-708.
- Innal, Deniz & Erkakan, Füsün, (2006). Effects of exotic and translocated fish species in inland waters of Turkey. *Reviews in Fish Biology and Fisheries*. 16. 39-50. 10.1007/s11160-006-9005-y.
- International Union for Conservation of Nature (IUCN), 2012. Red List of Threatened Species. Version 2012.2. Retrieved from: <http://www.iucnredlist.org>.
- IUCN. (2012). Marine mammals and sea turtles of the Mediterranean and Black Seas. Gland, Switzerland and Malaga, Spain: IUCN.
- Karaçetin, E., & Welch, H. J., (2011). Red book of butterflies in Turkey. Nature Conservation Center, Ankara.
- Kaya, Cüneyt, (2020). Spirulins of the southern Black Sea basin, with the description of a new species (Teleostei: Leuciscidae), *Zootaxa* 4763 (3), pp. 419-428 : 421-422
- Kaya, Uğur & Üzüm, Nazan & Kumlutaş, Yusuf & Avcı, Aziz & Kaska, Yakup & Öz, Mehmet & Tunç, Rızvan & Başkale, Eyup, (2012). Overview of Conservation and Red List of Turkey's Threatened Amphibians. *FrogLog*. 101.
- Kumlutaş, Yusuf & Sözen, Mustafa & Ilgaz, Çetin, (2013). New record of the rare *Vipera barani* BOHME & JOGER, 1983. *Herpetozoa*. 25. 183-188.
- Kurnaz, Muammer & Hosseinian, Saeed, (2020). Ecological niche divergence between *Darevskia rudis* and *D. bithynica* (Lacertidae) in Turkey. *Biologia*. 75. 1307-1312. 10.2478/s11756-019-00374-0.
- Kurnaz, Muammer. (2020). Species list of Amphibians and Reptiles from Turkey. *Journal of Animal Diversity*. 2. 10-32. 10.52547/JAD.2020.2.4.2.

- Living Black Sea. (2016). Plankton in the Black Sea. Retrieved 2022, from <http://blacksea-education.ru/plankton.shtml#:~:text=The%20portion%20of%20gelatinous%20plankton%20is%20unusually%20high,so%20-%20Evolution%20of%20the%20Black%20Sea%20Ecosystem%29>.
- Marine Mammals Management Toolkit. (2021, November). 11 New IMMAs named in the Black Sea. Retrieved January 2022, from <https://marine-mammals.info/2021/11/02/new-immas-named-in-the-black-sea/>
- Naqinezhad, A., Ramezani, E., Djamali, M., Schnitzler, A., & Arnold, C., (2018). Wild grapevine (*Vitis vinifera* subsp. *Sylvestris*) in the Hyrcanian relict forests of northern Iran: an overview of current taxonomy, ecology and palaeorecords. *Journal of Forestry Research*, 29(6), 1757-1768.
- NASA. (2016, May). Earth Observatory. Retrieved February 2022, from <https://earthobservatory.nasa.gov/images/88017/bloom-in-the-black-sea>
- Silvestrova, K. P., Zatsepin, A. G., & Myslenkov, S. A. (2017). Coastal upwelling in the Gelendzhik area of the Black Sea: Effect of wind and dynamics. *Oceanology*.
- Stanichnaya, R., Davidov, A., Stanichny, S., & Soloviev, D. (2004). Coastal upwelling in the Black Sea as derived from satellite remote sensing. 35th COSPAR Scientific Assembly.
- The United Nations Environment Programme Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES), 2014. Species+. Retrieved from: <http://www.speciesplus.net>
- Wielstra, B. & J.W. Arntzen, (2016): Description of a new species of crested newt, previously subsumed in *Triturus ivanbureschi* (Amphibia: Caudata: Salamandridae) – *Zootaxa* 4109(1): 073–080

Chapters 6.3.1, 6.3.2 – Offshore Physical and Biological Baseline

- Abercrombie, M., Hickman, C. J., & Johnson, M. L. (1966). *A Dictionary of Biology*. London: Penguin Reference Books.
- Akkaya Bas, A., Christiansen, F., Amaha Öztürk, A., Öztürk, B., & McIntosh, C. (2017). The effects of marine traffic on the behaviour of Black Sea harbour porpoises (*Phocoena phocoena relicta*) within the Istanbul Strait, Turkey. *PLOS ONE*.
- Andreassen, K., Hart, P. E., & MacKay, M. (1997). Amplitude versus offset modeling of the bottom simulating reflection associated with submarine gas hydrates. *Marine Geology*, 137(1-2), 25-40.
- Annachhatre, A. P., & Gheewala, S. H. (1996). Biodegradation of chlorinated phenolic compounds. *Biotechnology Advances*, 14(1), 35-56.
- Berta, A., Sumich, J., Kovacs, K. (2015). *Marine Mammals: Evolutionary Biology: Third Edition*. Marine Mammals: Evolutionary Biology: Third Edition. 1-726.
- Bilyay, E., Ozbahceci, B. O., & Yalciner, A. C. (2011). Extreme waves at Filyos, southern black sea. *Natural Hazards and Earth System Sciences*, 11(3), 659-666.
- Bird Life International. (n.d.). Mediterranean/Black Sea Flyway. Retrieved from http://datazone.birdlife.org/userfiles/file/sowb/flyways/5_Mediterranean_Black_Sea_Factsheet.pdf
- BirdLife International. (2022). Yeşilirmak Delta. Retrieved from BirdLife International: <http://datazone.birdlife.org/site/factsheet/ye%C5%9Fil%C4%B1rmak-delta-iba-turkey>

Title:	<i>Chapter 13 References</i>	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	7 of 25
Rev. :	01		

- Bjorge, A., & Tolley, K. (2018). *Encyclopedia of Marine Mammals* (3rd ed.). Academic Press.
- BlackSeaWatch. (n.d.). *Species Catalog*. BlackSeaWatch.
- Bodnar, R. J. (1993). Revised equation and table for determining the freezing point depression of H₂O-NaCl solutions. *Geochimica et Cosmochimica acta*, 57(3), 683-684.
- Boggs Jr, S., & Boggs, S. (2009). *Petrology of sedimentary rocks*. Cambridge university press.
- Bondar, C. (2008, June). Hydro morphological balance of the Danube River Channel on the Sector between Bazias (km 1072.2) and Danube Delta Inlet (km 80.5). In *International Expert Conference on 'The Safety of Navigation and Environmental Security in a Transboundary Context in the Black Sea Basin'*, Odesa, Ukraine (pp. 24-26).
- Britannica, T. Editors of Encyclopaedia (2017, March 20). Beaufort scale. *Encyclopedia Britannica*. <https://www.britannica.com/science/Beaufort-scale>
- Cardwell, R. D., DeForest, D. K., Brix, K. V., & Adams, W. J. (2013). Do Cd, Cu, Ni, Pb, and Zn biomagnify in aquatic ecosystems?. *Reviews of Environmental Contamination and Toxicology* Volume 226, 101-122.
- Carlson, C., Giorgio, P., Herndl, G. (2007). Microbes and the Dissipation of Energy and Respiration: From Cells to Ecosystems. *Oceanography-washington dc-oceanography society-*. 20. 89. 10.5670/oceanog.2007.52.
- Castro, P., & Hubert, M. E. (2012). *Marine Biology, Ninth Edition*. McGraw-Hill Education.
- Cenedese, C. and Tricker, . Ronald A.R. (2018, October 9). wave. *Encyclopedia Britannica*. <https://www.britannica.com/science/wave-water>
- Chen, S. C., Hsu, S. K., Wang, Y., Chung, S. H., Chen, P. C., Tsai, C. H., Liu, C. S., Lin, H. S., & Lee, Y. W. (2014). Distribution and characters of the mud diapirs and mud volcanoes off southwest Taiwan. *Journal of Asian Earth Sciences*, 92, 201-214.
- Chu, P. C., Ivanov, L. M., & Margolina, T. M. (2005). Seasonal variability of the Black Sea chlorophyll-a concentration. *Journal of Marine Systems*, 56(3-4), 243-261.
- Çifçi, G., Dondurur, D., Ergün, M. (2002). Sonar and high resolution seismic studies in the Eastern Black Sea. *Turkish Journal of Earth Sciences*, 11(1), 61-81.
- Claypool GE, Kaplan IR (1974) The origin and distribution of methane in marine sediments. In: Kaplan IR (ed) *Natural gases in marine sediments*. Plenum Press, New York, pp 99–139.
- D.C. Jipa, N. Panin, (2020) Narrow shelf canyons vs. wide shelf canyons: Two distinct types of Black Sea submarine canyons. *Quaternary International*, Volume 540, 120-136. ISSN 1040-6182
- DenAr (2021). Hydrographic and oceanographic survey report. Sakarya Gas Field Project. Issued by DenAr Deniz Araştırmaları A.Ş. for Türkiye Petrolleri Anonim Association
- Dimitrov, L. I. (2002). Mud volcanoes—the most important pathway for degassing deeply buried sediments. *Earth-Science Reviews*, 59(1-4), 49-76.
- Divinsky, B. V., Fomin, V. V., Kosyan, R. D., & Ratner, Y. D. (2020). Extreme wind waves in the Black Sea. *Oceanologia*, 62(1), 23-30.
- Donders, L. B. (2010). Layout design for greenfield port Filyos.

- Donker, J. J., & de Swart, H. E. (2013). Effects of bottom slope, flocculation and hindered settling on the coupled dynamics of currents and suspended sediment in highly turbid estuaries, a simple model. *Ocean dynamics*, 63(4), 311-327.
- Esin, N. V., Murdmaa, I. O., Esin, N. I., & Evsyukov, Y. D. (2018). Dynamics of slow suspension flows on the Black Sea abyssal plain. *Quaternary International*, 465, 54-62.
- EUNIS. (2016). European Red List of Habitats -- Part 1: Marine Habitats. Luxembourg: European Union.
- Farhadian, M., Haddad, O. B., Seifollahi-Aghmiuni, S., & Loáiciga, H. A. (2015). Assimilative capacity and flow dilution for water quality protection in rivers. *Journal of Hazardous, Toxic, and Radioactive Waste*, 19(2), 04014027.
- Folk, R. L. (1974). *Petrology of sedimentary rocks*: Austin, Texas.
- Gâstescu, P., & Țuchiu, E. (2012, September). THE DANUBE RIVER IN THE PONTIC SECTOR-HIDROLOGICAL REGIME. In *Water resources and wetlands. Conference proceedings* (pp. 14-16).
- Gemrich, J. (2010, May). Wave intensification by currents. In *EGU General Assembly Conference Abstracts* (p. 5628).
- Gieskes, J. M., Culkin, F., & Fofonoff, N. P. (1981). The Practical Salinity Scale 1978 and International Equation of State of Seawater 1980. UNESCO. *Tech. Rap. Mar. Sci.*, (36), 17.
- Gordon, A. L. and Cenedese, . Claudia (2021, July 21). ocean current. *Encyclopedia Britannica*. <https://www.britannica.com/science/ocean-current>
- Guo, S., Zhou, Y., Shen, Q., & Zhang, F. (2007). Effect of ammonium and nitrate nutrition on some physiological processes in higher plants-growth, photosynthesis, photorespiration, and water relations. *Plant Biology*, 9(01), 21-29.
- Handley, S. J., Willis, T. J., Cole, R. G., Bradley, A., Cairney, D. J., Brown, S. N., & Carter, M. E. (2014). The importance of benchmarking habitat structure and composition for understanding the extent of fishing impacts in soft sediment ecosystems. *Journal of Sea Research*, 86, 58-68.
- Hovland, M., & Judd, A. G. (1988). *Seabed pockmarks and seepages: impact on geology, biology and the marine environment* (Vol. 293). London: Graham & Trotman.
- Hovland, M., Gardner, J. V., & Judd, A. G. (2002). The significance of pockmarks to understanding fluid flow processes and geohazards. *Geofluids*, 2(2), 127-136.
- Huot, Y., Babin, M., Bruyant, F., Grob, C., Twardowski, M. S., & Claustre, H. (2007). Does chlorophyll a provide the best index of phytoplankton biomass for primary productivity studies?. *Biogeosciences discussions*, 4(2), 707-745.
- IFC Annual Report (2019)
- IUCN (2008). *Red List of Threatened Species*.
- IUCN (2022). *Red List of Threatened Species*.
- IUCN. (2012). *Marine mammals and sea turtles of the Mediterranean and Black Seas*. Gland, Switzerland and Malaga, Spain: IUCN.
- Jefferson, T. A., Leatherwood, S., & Webber, M. A. (1993). *Marine mammals of the world*. Food & Agriculture Org..

Title:	Chapter 13 References	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	9 of 25
Rev. :	01		

- Jipa, D. C., & Panin, N. (2020). Narrow shelf canyons vs. wide shelf canyons: Two distinct types of Black Sea submarine canyons. *Quaternary International*, 540, 120-136.
- Kaiser, M. J., Collie, J. S., Hall, S. J., Jennings, S., & Poiner, I. R. (2002). Modification of marine habitats by trawling activities: prognosis and solutions. *Fish and Fisheries*, 3(2), 114-136.
- Karaçuha, A., & Okudan, E. S. (2017). Macroalgae and phanerogams of the Black Sea. *Black Sea marine environment: The Turkish shelf. Turkish Marine Research Foundation (TUDAV)*.
- Kharif, C., Giovanangeli, J. P., Touboul, J., Grare, L., & Pelinovsky, E. (2008). Influence of wind on extreme wave events: experimental and numerical approaches. *Journal of Fluid Mechanics*, 594, 209-247.
- Kharif, C., Pelinovsky, E., & Slunyaev, A. (2008). *Rogue waves in the ocean*. Springer Science & Business Media.
- Kimbrough, D. E., Cohen, Y., Winer, A. M., Creelman, L., & Mabuni, C. (1999). A critical assessment of chromium in the environment. *Critical reviews in environmental science and technology*, 29(1), 1-46.
- Kimbrough, D. E., Cohen, Y., Winer, A. M., Creelman, L., & Mabuni, C. (1999). A critical assessment of chromium in the environment. *Critical reviews in environmental science and technology*, 29(1), 1-46.
- Kioka, A., & Ashi, J. (2015). Episodic massive mud eruptions from submarine mud volcanoes examined through topographical signatures. *Geophysical Research Letters*, 42(20), 8406-8414.
- Konovalov, S. K., & Murray, J. W. (2001). Variations in the chemistry of the Black Sea on a time scale of decades (1960–1995). *Journal of Marine Systems*, 31(1-3), 217-243.
- Kopf, A. J. (2002). Significance of mud volcanism. *Reviews of geophysics*, 40(2), 2-1.
- Korotaev, G., Oguz, T., Nikiforov, A., & Koblinsky, C. (2003). Seasonal, interannual, and mesoscale variability of the Black Sea upper layer circulation derived from altimeter data. *Journal of Geophysical Research: Oceans*, 108(C4).
- Kosyan, A. R., & Divinsky, B. V. (2019). *Chamelea gallina* in the coastal waters of the Anapa bay bar (the Black Sea) as a carbonate sediment producer. *Oceanologia*.
- Kvenvolden, K. A. (1988). Methane hydrate—a major reservoir of carbon in the shallow geosphere?. *Chemical geology*, 71(1-3), 41-51.
- Leighton, T. G., & White, P. R. (2012). Quantification of undersea gas leaks from carbon capture and storage facilities, from pipelines and from methane seeps, by their acoustic emissions. *Proceedings of the royal society A: mathematical, physical and engineering sciences*, 468(2138), 485-510.
- Lévy, M., Franks, P. J., & Smith, K. S. (2018). The role of submesoscale currents in structuring marine ecosystems. *Nature communications*, 9(1), 1-16.
- Lijklema, L., Koelmans, A. A., & Portielje, R. (1993). Water quality impacts of sediment pollution and the role of early diagenesis. *Water Science and Technology*, 28(8-9), 1-12.
- Living Black Sea. (2016). *Black Sea Geography, Oceanography, Ecology, History — general information*. Retrieved from Black Sea: <http://blacksea-education.ru/e2.shtml>
- Living Black Sea. (2016). *Plankton in the Black Sea*. Retrieved 2022, from <http://blacksea-education.ru/plankton.shtml#:~:text=The%20portion%20of%20gelatinous%20plankton%20is%20unusually%20high,so%20-%20Evolution%20of%20the%20Black%20Sea%20Ecosystem%29>.

Title:	<i>Chapter 13 References</i>	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	10 of 25
Rev. :	01		

- Loáiciga, H. A. (2006). Modern-age buildup of CO₂ and its effects on seawater acidity and salinity. *Geophysical research letters*, 33(10).
- Longhurst, A. (1995). Seasonal cycles of pelagic production and consumption. *Progress in oceanography*, 36(2), 77-167.
- Luth, U. (2004). The benthos of the oxic/anoxic interface in the western Black Sea: comparative macro-and meiofauna investigations on transects from the Ukrainian, Romanian and Turkish shelf. In *International Workshop on Black Sea Benthos* (pp. 2-69).
- M.F. McKenna, S.M. Wiggins, J.A. Hildebrand
- Mackenzie, K. V. (1981). Nine-term equation for sound speed in the oceans. *The Journal of the Acoustical Society of America*, 70(3), 807-812.
- Marine Mammals Management Toolkit. (2021, November). 11 New IMMAs named in the Black Sea. Retrieved January 2022, from <https://marine-mammals.info/2021/11/02/new-immas-named-in-the-black-sea/>
- Medinets, S. V., & Medinets, V. I. (2012). Investigations of atmospheric wet and dry nutrient deposition to marine surface in western part of the Black Sea.
- Megan F. McKenna, Christine Gabriele, Blair Kipple. (2017). Effects of marine vessel management on the underwater acoustic environment of Glacier Bay National Park, AK, *Ocean & Coastal Management*, Volume 139, Pages 102-112. ISSN 0964-5691.
- Micu, D., & Micu, S. (2004, April). A new type of macrozoobenthic community from the rocky bottoms of the Black Sea. In *International Workshop on the Black Sea Benthos* (pp. 18-23).
- Mora, C., Tittensor, D. P., Adl, S., Simpson, A. G., & Worm, B. (2011). How many species are there on Earth and in the ocean?. *PLoS biology*, 9(8), e1001127.
- NASA. (2016, May). Earth Observatory. Retrieved February 2022, from <https://earthobservatory.nasa.gov/images/88017/bloom-in-the-black-sea>
- Nankinov, D. M. (1998): Occurrence of marine turtles (*Caretta caretta* and *Chelonia mydas*) along the west Black Sea coast. - *Bulletin of the Natural History Museum, Belgrade*, B49-50, 1995-1998: 7-14.
- Oguz, T., & Oguz, T. (2008). General oceanographic properties: physico-chemical and climatic features. *State of Environment of the Black Sea (2001-2006/7)*. Publication of the Commission on the Protection of the Black Sea Against Pollution (BSC). Istanbul, Turkey, 39-60.
- Oguz, T., & Salihoglu, B. (2000). Simulation of eddy-driven phytoplankton production in the Black Sea. *Geophysical research letters*, 27(14), 2125-2128.
- Oguz, T., Latun, V. S., Latif, M. A., Vladimirov, V. V., Sur, H. I., Markov, A. A., Ozsoy, E., Kotovshchikov, B. B., Eremeev, V., & Ünlüata, Ü. (1993). Circulation in the surface and intermediate layers of the Black Sea. *Deep Sea Research Part I: Oceanographic Research Papers*, 40(8), 1597-1612.
- Oguz, T., Salihoglu, B., & Fach, B. (2008). A coupled plankton–anchovy population dynamics model assessing nonlinear controls of anchovy and gelatinous biomass in the Black Sea. *Marine Ecology Progress Series*, 369, 229-256.
- OSPAR Request on Development of a Common Monitoring Protocol for Plastic Particles in Fish Stomachs and Selected Shellfish on the Basis of Existing Fish Disease Surveys. *ICES Advice 2015-Book*, 1 (2015), pp. 1-6

Title:	Chapter 13 References	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	11 of 25
Rev. :	01		

- Öztürk, B., Tonay, A. M., Akkaya, A., Öztürk, A. A., & Dede, A. (2011). Stranding of a green turtle, *Chelonia mydas* (Linnaeus, 1758), in the Turkish Black Sea. *Zoology in the Middle East*, 52(1), 115-117.
- Paull, C.K., Talling, P.J., Maier, K.L. et al. Powerful turbidity currents driven by dense basal layers. *Nat Commun* 9, 4114 (2018). <https://doi.org/10.1038/s41467-018-06254-6>
- Perrin, W.F. 2018. Pantropical spotted dolphin *Stenella 12tenuate*. In: B. Wursig, J.G.M. Thewissen and K.M. Kovacs (eds), *Encyclopedia of Marine Mammals Third Edition*, pp. 676-678. Academic Press.
- Pierce, A. D., & Berthelot, Y. H. (1989). Acoustics 1988: Laser-generated underwater sound. *The Journal of the Acoustical Society of America*, 85(5), 2227-2228.
- Popescu, I., Lericolais, G., Panin, N., Wong, H. K., & Droz, L. (2001). Late Quaternary channel avulsions on the Danube deep-sea fan, Black Sea. *Marine Geology*, 179(1-2), 25-37.
- Port of London Authority (2022). *Canadian Sediment Quality Guidelines for the Protection of Aquatic Life*. Port of London Authority website. Retrieval on <https://www.pla.co.uk/Environment/Canadian-Sediment-Quality-Guidelines-for-the-Protection-of-Aquatic-Life>
- Puig, P., Ogston, A. S., Mullenbach, B. L., Nittrouer, C. A., Parsons, J. D., & Sternberg, R. W. (2004). Storm-induced sediment gravity flows at the head of the Eel submarine canyon, northern California margin. *Journal of Geophysical Research: Oceans*, 109(C3).
- Relationship between container ship underwater noise levels and ship design, operational and oceanographic conditions. *Sci. Rep.*, 3 (2013), p. 1760
- Saavedra C., Petitguyot M., Bearzi G., Pierce G.J. in press. Common dolphin, *Delphinus delphis* (Linnaeus 1758). In: C.R. Weir, P.G.H. Evans, M.H. Rasmussen (ed.), *Handbook of the Mammals of Europe: Cetacea*, Springer.
- Semedo, A., Sušelj, K., Rutgersson, A., & Sterl, A. (2011). A global view on the wind sea and swell climate and variability from ERA-40. *Journal of Climate*, 24(5), 1461-1479.
- Shanmugam G. (2021). Chapter 6 - Hyperpycnal flows. In: Editor(s): G. Shanmugam (Eds.) *Mass Transport, Gravity Flows, and Bottom Currents*. Elsevier, ISBN 9780128225769: 213-271. <https://doi.org/10.1016/B978-0-12-822576-9.00006-0>.
- Sheng, J., Wright, D. G., Greatbatch, R. J., & Dietrich, D. E. (1998). CANDIE: A new version of the DieCAST ocean circulation model. *Journal of Atmospheric and Oceanic Technology*, 15(6), 1414-1432.
- Shillington, D. J., White, N., Minshull, T. A., Edwards, G. R., Jones, S. M., Edwards, R. A., & Scott, C. L. (2008). Cenozoic evolution of the eastern Black Sea: A test of depth-dependent stretching models. *Earth and Planetary Science Letters*, 265(3-4), 360-378.
- Shipley, T. H., Houston, M. H., Buffler, R. T., Shaub, F. J., Mcmillen, K. J., LAOD, J. W., & Worzel, J. L. (1979). Seismic evidence for widespread possible gas hydrate horizons on continental slopes and rises. *AAPG bulletin*, 63(12), 2204-2213.
- Silvestrova, K. P., Zatsepin, A. G., & Myslenkov, S. A. (2017). Coastal upwelling in the Gelendzhik area of the Black Sea: Effect of wind and dynamics. *Oceanology*.
- Sorokin, Y. I. (2002). *The Black Sea: ecology and oceanography*.
- Sorokin, Y. U. I. (1983). *The Black Sea*.

Title:	<i>Chapter 13 References</i>	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	12 of 25
Rev. :	01		

- Southall, B., Bowles, A., Ellison, W., Finneran, J., & Gentry, R., Greene, C., Kastak, D., Ketten, D., Miller, J., Nachtigall, P., Richardson, W., Thomas, J., Tyack, P. (2009). Marine mammal noise-exposure criteria: Initial scientific recommendations. *The Journal of the Acoustical Society of America*. 125. 2517. 10.
- Staneva, J. V., Dietrich, D. E., Stanev, E. V., & Bowman, M. J. (2001). Rim current and coastal eddy mechanisms in an eddy-resolving Black Sea general circulation model. *Journal of Marine Systems*, 31(1-3), 137-157.
- Stanichnaya, R., Davidov, A., Stanichny, S., & Soloviev, D. (2004). Coastal upwelling in the Black Sea as derived from satellite remote sensing. 35th COSPAR Scientific Assembly.
- Stanichnaya, Rimma, A Davidov, S Stanichny, and D Soloviev. "Coastal upwelling in the Black Sea as derived from satellite remote sensing." *35th COSPAR Scientific Assembly*, 2004.
- Talley, Lynne. (2012). Closure of the Global Overturning Circulation Through the Indian, Pacific, and Southern Oceans: Schematics and Transports. *Oceanography*. 26. 80-97. 10.5670/oceanog.2013.07.
- Tuğrul, S., Murray, J. W., Friederich, G. E., & Salihoğlu, İ. (2014). Spatial and temporal variability in the chemical properties of the oxic and suboxic layers of the Black Sea. *Journal of Marine Systems*, 135, 29-43.
- Türkiye Petrolleri Anonim Ortaklığı (*Turkish Petroleum Corporation*). Sakarya Gas Field Subsea Production Facilities, Subsea Transmission Lines And Onshore Natural Gas Processing Facility Integrated Project. Zonguldak Province, Çaycuma District, Filyos Industrial Zone. Armada Eğitim Ve Belgelendirme Danışmanlık Mühendislik Enerji Denizcilik San. Ve Tic. Ltd. Şti, 2021
- Urick, R. J. (1979). *Sound propagation in the sea*. Department of Defense], Office of the Secretary of Defense, Defense Advanced Research Projects Agency.
- Valkanov, A., K.H. Marinov, Kh. Danov, Kh. & P. Vladev (1978) Black Sea [in Bulgarian]. -Gheorghi Bakalov Publications, Varna, 232 pp.
- Versar. (2006). What are benthos? Retrieved from Chesapeake Bay Benthic Monitoring Program: <http://www.baybenthos.versar.com/benthos.htm>
- Vinogradova, N. G. (1997). Zoogeography of the abyssal and hadal zones. In *Advances in Marine Biology* (Vol. 32, pp. 325-387). Academic Press.
- Wan, Z., Zhang, J., Lin, G., Zhong, S., Li, Q., Wei, J., & Sun, Y. (2021). Formation Mechanism of Mud Volcanoes/Mud Diapirs Based on Physical Simulation. *Geofluids*, 2021.
- Wenz, G. M. (1962). Acoustic ambient noise in the ocean: Spectra and sources. *The Journal of the Acoustical Society of America*, 34(12), 1936-1956.
- Wetzel, R. (2001). *Limnology: Lake and River Ecosystems*, 3rd Edition. Sand Diego: Academic Press.
- Wynn, R. B., & Stow, D. A. (2002). Classification and characterisation of deep-water sediment waves. *Marine Geology*, 192(1-3), 7-22.
- Yankova, M., Pavlov, D., Ivanova, P., Boltachev, A., Oztürk, B., Bat, L., . . . Mgeladze, M. (2014). Marine fishes in the Black Sea: recent conservation status. *Mediterranean Marine Science*, 366-379.
- Zinenko, O., Vishnyakova, K. A., Stoyanov, L., & Gol'din, P. E. (2021). The Northernmost Record of the Loggerhead Sea Turtle, *Caretta caretta* (Testudines, Cheloniidae), in the Black Sea with the Review of the Species Occurrence in the Region. *Zoodiversity*, 55(2), 127-132.

Chapter 7.1 – Social IA

TURKSTAT - [Turkish Statistical Institute \(TURKSTAT\) \(tuik.gov.tr\)](http://tuik.gov.tr)

Presidential Decree No. 5071 published in the Official Gazette dated 6 January 2022. [The Republic of Türkiye Directorate of Communications \(iletisim.gov.tr\)](http://iletisim.gov.tr)

Chapter 7.2.1.2 – Air quality IA

Abercrombie, M., Hickman, C. J., & Johnson, M. L. (1966). A Dictionary of Biology. London: Penguin Reference Books.

Ağaçayak, T. (2021). Analysis of the Impact of Coal Industry on Public Health and Environment in Zonguldak. İstanbul, Turkey.

Akkaya Bas , A., Christiansen, F., Amaha Öztürk, A., Öztürk, B., & McIntosh, C. (2017). The effects of marine traffic on the behaviour of Black Sea harbour porpoises (*Phocoena phocoena relicta*) within the İstanbul Strait, Turkey. PLOS ONE.

Çınar. (2020). Filyos Port/Industrial Zone Connection Project ESIA Report. Ankara, Turkey.

Çınar. (2022). Air and Noise Quality Laboratory Methodology. Etimesgut, Ankara, Turkey.

Group, W. B. (2017). Environmental, Health, And Safety Guidelines for Liquefied Natural Gas Facilities. US.

Karababa et. al., A. O. (2021). Air Pollution and Its Health Effects. Turkey.

PDoEUCC. (2020). Environmental Status Report. Zonguldak.

Tecer, L. H. (2007). Prediction of SO₂ and PM Concentrations in a Coastal Mining Area (Zonguldak, Turkey) Using an Artificial Neural Network. Balıkesir, Turkey.

WBG. (2017). Environmental, Health, and Safety Guidelines for Onshore Oil and Gas Development. US.

Chapter 7.2.1.3 – Noise and Vibrations IA

“Environmental Noise Directive,” DIRECTIVE 2002/49/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL, 2002.

“Regulation on Assessment and Management of Environmental Noise” Official Gazette No: 27601, 04.06.2010.

“World Bank Group Environmental, Health, and Safety Guidelines,” 2007.

Adaptation and revision of the interim noise computation methods for the purpose of strategic noise mapping, EUROPEAN COMMISSION DG Environment, 2003.

B. Y. a. J. Yang, “Modeling and Parameter Optimization of Dynamic Characteristic Variables of Ballast Bed during Operation for Dynamic Track Stabilizer,” Complexity, no. vol. 2021, p. 11, 2021.

Environmental Noise Guideline for the European Region, Copenhagen: World Health Organization, 2018.

Title:	Chapter 13 References	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	14 of 25
Rev. :	01		

H. H. B. W. X. YAN Bo1, “Mechanical Characteristics Optimization of Ballast Bed Variable on Operating Process for the Dynamic Track Stabilizer,” in The 9th International Conference on Modelling, Identification and Control, Kunming, China, 2017.

M. A. E. B. R. M. H. S. Antoinette Quagliata, Transit Noise and Vibration Impact Assessment Manual, FTA, 2018.

Chapter 7.2.1.4 – Hydrology and Surface water IA

Donders, L.B. 2010. Layout Design for Greenfield Port Filyos, Delft University of Technology

Sakarya Gas Field-Onshore Production Facility Flood Risk Analysis, SUIŞ Proje Engineering and Consulting Co. Ltd., January 2022.

Chapter 7.2.1.5 – Hydrogeology and Groundwater IA

Diersch, H.G. 2015. FEFLOW v. 6.2 Finite Element Subsurface Flow and Transport Simulation System. 1979-2022.

Freeze, R.A. and Cherry, J.A. (1979) Groundwater. Prentice-Hall Inc., Englewood Cliffs, Vol. 7632, 604.

Sakarya Gas Field-Onshore Production Facility Flood Risk Analysis, SUIŞ Proje Engineering and Consulting Co. Ltd., January 2022.

Thorntwaite, C.W. and Mather, J.R. (1955) The Water Balance. Publications in Climatology, 8, 5-86.

TP-OTC Filyos Natural Gas Processing Plant Analysis of Step-Drawdown Tests. TOKER Drilling and Construction Engineering Consulting. Co., July 2021.

Chapter 7.2.2 – Biological onshore IA

Abercrombie, M, C J Hickman, and M L Johnson. A Dictionary of Biology. London: Penguin Reference Books, 1966.

Akkaya Bas, Aylin, Fredrik Christiansen, A Amaha Öztürk, B Öztürk, et C McIntosh. «The effects of marine traffic on the behaviour of Black Sea harbour porpoises (Phocoena phocoena relicta) within the Istanbul Strait, Turkey. PLOS ONE, 2017.

Amadi, S. A., et C. P. Ukpaka. «Impact of corrosion inhibitors on the environment.» 2007: 18-35.

Bird Life International. Mediterranean/Black Sea Flyway. n.d.
http://datazone.birdlife.org/userfiles/file/sowb/flyways/5_Mediterranean_Black_Sea_Factsheet.pdf.

BirdLife International. Yeşilirmak Delta. 2022.
<http://datazone.birdlife.org/site/factsheet/ye%C5%9Fil%C4%B1rmak-delta-iba-turkey>.

Bjorge, A, et K.A. Tolley. Encyclopedia of Marine Mammals (3rd ed.). Academic Press, 2018.

BlackSeaWatch. Species Catalog. BlackSeaWatch, n.d.

Canaday, C., Rivadeneyra, J. (2001). Initial effects of a petroleum operation on Amazonian birds: Terrestrial insectivores retreat. Biodiversity and Conservation. 10. 567-595.

Title:	Chapter 13 References	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	15 of 25
Rev. :	01		

Castro, Peter, and Michael E. Hubert. *Marine Biology*, Ninth Edition. McGraw-Hill Education, 2012.

Davies, T., J. Duffy, J. Bennie, and K. Gaston. "The nature, extent, and ecological implications of marine light pollution." *Environmental Science*, 2014: 347-355.

EUNIS. *European Red List of Habitats - Part 1: Marine Habitats*. Luxembourg: European Union, 2016.

Faggetter, Barb. *Potential Impacts of Oil on Plankton and the Planktonic Larvae of Commercial Fisheries Species*. PhD, Ocean Ecology, 2011.

Farmer, D., Sivapalan, M., Jothityangkoon, C.. (2003). *Climate, Soil, and Vegetation Controls upon the Variability of Water Balance in Temperate and Semiarid Landscapes: Downward Approach to Water Balance Analysis*. *Water Resources Research*. 39.

Janss G.F.E., Ferrer, M., 1998. Rate of bird collision with power lines: effects of conductor marking and static wire marking. *Journal of Field Ornithology* 69, 8–17.

Jenkins, A., van Rooyen, C., Goede, J.H., Matshikiza, M.T. (2005). *Managing raptor interactions with transmission lines in South Africa*. *Series on Energy and Power Systems*. 529-533.

Guardiola, Francisco A., Alberto Cuesta, José Meseguer, and Maria A. Esteban. "Risks of Using Antifouling Biocides in Aquaculture." *International Journal of Molecular Science*, 2012: 1541–1560.

IUCN. *Marine mammals and sea turtles of the Mediterranean and Black Seas*. Gland, Switzerland and Malaga, Spain: IUCN, 2012.

Kim, J., Mandrak, N.E., (2017). Effects of strobe lights on the behaviour of freshwater fishes. *Environ Biol Fish* 100, 1427–1434. <https://doi.org/10.1007/s10641-017-0653-7>

Kosyan, A. R., and B. V. Divinsky. "Chamelea gallina in the coastal waters of the Anapa bay bar (the Black Sea) as a carbonate sediment producer." *Oceanologia*, 2019.

Kurvers, R.H.J.M., Drägestein, J., Hölker, F. (2018). *Artificial Light at Night Affects Emergence from a Refuge and Space Use in Guppies*. *Sci Rep* 8, 14131.

Lehman, R., Steenhof, K., Carpenter, L., & Kochert, Michael. (2000). *Turnover and dispersal of Prairie Falcons in southwestern Idaho*. *Journal of Raptor Research*. 34.

Living Black Sea. *Black Sea Geography, Oceanography, Ecology, History - general information*. 2016. <http://blacksea-education.ru/e2.shtml>.

Marine mammals and sea turtles of the Mediterranean and Black Seas. Gland Switzerland and Malaga Spain: IUCN, 2012.

Marine Mammals Management Toolkit. 11 New IMMAs named in the Black Sea. November 2021. <https://marine-mammals.info/2021/11/02/new-immas-named-in-the-black-sea/> (accessed January 2022).

NASA. Earth Observatory. May 2016. <https://earthobservatory.nasa.gov/images/88017/bloom-in-the-black-sea> (accessed February 2022).

Ocean Tools. C-Dye 530. n.d. <https://www.oceantools.co.uk/dyedetction/c-dye-leak-tracing-dye#:~:text=C-Dye%20530%20has%20been%20specially%20formulated%20to%20give,at%20a%20suggested%20dosage%20of%20250ppm%20or%200.025%25> (accessed Mai 2022).

OilField Wiki. Oxygen scavengers. 2020. http://www.oilfieldwiki.com/wiki/Oxygen_scavenger (accessed May 2022).

Petrinovich, L., & Peeke, H. V. (1973). Habituation to territorial song in the White-crowned sparrow (*Zonotrichia leucophrys*). *Behavioral biology*, 8(6), 743–748.

Pieniazek, Rachel H., Megan F. Mickle, Dennis M. Higgs, (2020). Comparative analysis of noise effects on wild and captive freshwater fish behaviour, *Animal Behaviour*, Volume 168, Pages 129-135, ISSN 0003-347.

Plankton in the Black Sea. 2016. <http://blacksea-education.ru/plankton.shtml#:~:text=The%20portion%20of%20gelatinous%20plankton%20is%20unusually%20high,so%20-%20Evolution%20of%20the%20Black%20Sea%20Ecosystem%29>.

Popper, A.N., & Hawkins, A.D. (2019). An overview of fish bioacoustics and the impacts of anthropogenic sounds on fishes†. *Journal of Fish Biology*, 94, 692 - 713.

Porte, C., and J. Albaigés. “Bioaccumulation Patterns of Hydrocarbons and Polychlorinated Biphenyls in Bivalves, Crustaceans, and Fishes.” *Archives of environmental contamination and toxicity*, 1994.

Reijnen, M.J.S.M., Veenbaas, G., Foppen, R. (1995). Predicting the effects of motorway traffic on breeding bird populations. Wageningen, IBN-DLO, 1998, 92 pp.

Schiopca, Francesca. Light pollution from research ship makes Artic zooplankton return to the deep. January 2018. <https://www.zmescience.com/science/light-pollution-plankton-26012018/#:~:text=Scientists%20discovered%20that%20zooplankton%20from%20the%20Arctic%20is,make%20these%20small%20organisms%20sink%20back%20into%20darkness>. (accessed May 2022).

Shen, J.X. A behavioral study of vibrational sensitivity in the pigeon (*Columba livia*). (1983). *J. Comp. Physiol.* 152, 251–255.

Silvestrova, K. P., A G. Zatsepin, and S. A. Myslenkov . “Coastal upwelling in the Gelendzhik area of the Black Sea: Effect of wind and dynamics.” *Oceanology*, 2017.

Souza Dias, F. Turbidity sensors. 2020. http://www.coastalwiki.org/wiki/Turbidity_sensors (accessed May 2022).

Stanichnaya, Rimma, A Davidov, S Stanichny, and D Soloviev. “Coastal upwelling in the Black Sea as derived from satellite remote sensing.” 35th COSPAR Scientific Assembly, 2004.

Staples, Charles A., James B. Williams, Gordon R. Craig, and Kathleen M. Roberts. “Fate, effects and potential environmental risks of ethylene glycol: a review.” *Chemosphere*, 2001: 377-383.

St. Clair, C.C., Forrest, A. (2009). Impacts of vehicle traffic on the distribution and behaviour of rutting elk, *Cervus elaphus*. *Behavior*. 146: 393–413.

Taormina, B., et al. “A review of potential impacts of submarine power cables on the marine environment: Knowledge gaps, recommendations and future directions.” *Renewable and Sustainable Energy Reviews*, 2018: 380-391.

Van Rooyen, Chris. (2009). Bird Impact Assessment Study Kusile Railway Line and associated infrastructure.

Versar. What are benthos? 2006. <http://www.baybenthos.versar.com/benthos.htm>.

Wetzel, Robert. *Limnology: Lake and River Ecosystems*, 3rd Edition. Sand Diego: Academic Press, 2001.

Title:	<i>Chapter 13 References</i>	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	17 of 25
Rev. :	01		

Yankova, M, et al. "Marine fishes in the Black Sea: recent conservation status." *Mediterranean Marine Science*, 2014: 366-379.

Chapter 7.3.1 – Physical offshore IA

Abercrombie, M., Hickman, C. J., & Johnson, M. L. (1966). *A Dictionary of Biology*. London: Penguin Reference Books.

Akkaya Bas , A., Christiansen, F., Amaha Öztürk, A., Öztürk, B., & McIntosh, C. (2017). The effects of marine traffic on the behaviour of Black Sea harbour porpoises (*Phocoena phocoena relicta*) within the Istanbul Strait, Turkey. *PLOS ONE*.

Arveson, P. T., & Vendittis, D. J. (2000). Radiated noise characteristics of a modern cargo ship. *The Journal of the Acoustical Society of America*, 107(1), 118-129.

Bird Life International. (n.d.). Mediterranean/Black Sea Flyway. Retrieved from http://datazone.birdlife.org/userfiles/file/sowb/flyways/5_Mediterranean_Black_Sea_Factsheet.pdf

BirdLife Intenrational. (2022). Yeşilirmak Delta. Retrieved from BirdLife International: <http://datazone.birdlife.org/site/factsheet/ye%C5%9Fil%C4%B1rmak-delta-iba-turkey>

Bjorge, A., & Tolley, K. (2018). *Encyclopedia of Marine Mammals* (3rd ed.). Academic Press.

BlackSeaWatch. (n.d.). Species Catalog. BlackSeaWatch.

Castro, P., & Hubert, M. E. (2012). *Marine Biology*, Ninth Edition. McGraw-Hill Education.

Clark, C. W., Ellison, W. T., Southall, B. L., Hatch, L., Van Parijs, S. M., Frankel, A., & Ponirakis, D. (2009). Acoustic masking in marineecosystems: Intuitions, analysis, and implication. *Marine Ecology Progress Series*, 395, 201-222.

Diercks, C. S., Liu, Y., Cordova, K. E., & Yaghi, O. M. (2018). The role of reticular chemistry in the design of CO2 reduction catalysts. *Nature materials*, 17(4), 301-307.

EUNIS. (2016). *European Red List of Habitats - Part 1: Marine Habitats*. Luxembourg: European Union.

Gerbersdorf, S. U., & Schubert, H. (2011). Vertical migration of phytoplankton in coastal waters with different UVR transparency. *Environmental Sciences Europe*, 23(1), 1-14.

Hatch, L. T., Clark, C. W., Van Parijs, S. M., Frankel, A. S., & Ponirakis, D. W. (2012). Quantifying loss of acoustic communication space for right whales in and around a U.S. National Marine Sanctuary. *Conservation biology : the journal of the Society for Conservation Biology*, 26(6), 983–994.

IUCN. (2012). *Marine mammals and sea turtles of the Mediterranean and Black Seas*. Gland, Switzerland and Malaga, Spain: IUCN.

IUCN. (2012). *Marine mammals and sea turtles of the Mediterranean and Black Seas*. Gland Switzerland and Malaga Spain: IUCN.

Kosyan, A. R., & Divinsky, B. V. (2019). *Chamelea gallina* in the coastal waters of the Anapa bay bar (the Black Sea) as a carbonate sediment producer. *Oceanologia*.

Living Black Sea. (2016). *Black Sea Geography, Oceanography, Ecology, History - general information*. Retrieved from Black Sea: <http://blacksea-education.ru/e2.shtml>

Title:	<i>Chapter 13 References</i>	Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030	Page:	18 of 25
Rev. :	01		

Living Black Sea. (2016). Plankton in the Black Sea. Retrieved 2022, from <http://blacksea-education.ru/plankton.shtml#:~:text=The%20portion%20of%20gelatinous%20plankton%20is%20unusually%20high,so%20-%20Evolution%20of%20the%20Black%20Sea%20Ecosystem%29>.

Marine Mammals Management Toolkit. (2021, November). 11 New IMMAs named in the Black Sea. Retrieved January 2022, from <https://marine-mammals.info/2021/11/02/new-immas-named-in-the-black-sea/>

NASA. (2016, May). Earth Observatory. Retrieved February 2022, from <https://earthobservatory.nasa.gov/images/88017/bloom-in-the-black-sea>.

Peine, F., Turnewitsch, R., Mohn, C., Reichelt, T., Springer, B., & Kaufmann, M. (2009). The importance of tides for sediment dynamics in the deep sea—Evidence from the particulate-matter tracer ²³⁴Th in deep-sea environments with different tidal forcing. *Deep Sea Research Part I: Oceanographic Research Papers*, 56(7), 1182-1202.

Silvestrova, K. P., Zatsepin, A. G., & Myslenkov, S. A. (2017). Coastal upwelling in the Gelendzhik area of the Black Sea: Effect of wind and dynamics. *Oceanology*.

Southall, B.L., et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* 33:1–521

Southall, B., Bowles, A., Ellison, W., Finneran, J., & Gentry, R., Greene, C., Kastak, D., Ketten, D., Miller, J., Nachtigall, P., Richardson, W., Thomas, J., Tyack, P. (2009). Marine mammal noise-exposure criteria: Initial scientific recommendations. *The Journal of the Acoustical Society of America*. 125. 2517. 10.

Southall, B. L., Finneran, J. J., Reichmuth, C., Nachtigall, P. E., Ketten, D. R., Bowles, A. E., ... & Tyack, P. L. (2019). Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45(2), 125-232.

Stanichnaya, R., Davidov, A., Stanichny, S., & Soloviev, D. (2004). Coastal upwelling in the Black Sea as derived from satellite remote sensing. 35th COSPAR Scientific Assembly.

Versar. (2006). What are benthos? Retrieved from Chesapeake Bay Benthic Monitoring Program: <http://www.baybenthos.versar.com/benthos.htm>

Wetzel, R. (2001). *Limnology: Lake and River Ecosystems*, 3rd Edition. Sand Diego: Academic Press.

Yankova, M., Pavlov, D., Ivanova, P., Boltachev, A., Oztürk, B., Bat, L., Mgeladze, M. (2014). Marine fishes in the Black Sea: recent conservation status. *Mediterranean Marine Science*, 366-379.

Chapter 7.3.2 – Biological offshore IA

Abercrombie, M, C J Hickman, and M L Johnson. *A Dictionary of Biology*. London: Penguin Reference Books, 1966.

Akkaya Bas , Aylin, Fredrik Christiansen, A Amaha Öztürk, B Öztürk, et C McIntosh. «The effects of marine traffic on the behaviour of Black Sea harbour porpoises (*Phocoena phocoena relicta*) within the Istanbul Strait, Turkey.» *PLOS ONE*, 2017.

Amadi, S. A., et C. P. Ukpaka. «Impact of corrosion inhibitors on the environment.» 2007: 18-35.

Bird Life International. Mediterranean/Black Sea Flyway. n.d. http://datazone.birdlife.org/userfiles/file/sowb/flyways/5_Mediterranean_Black_Sea_Factsheet.pdf.

Title:	Chapter 13 References		Classification:	Internal
DocID:	SC26-OTC-PRJ-EN-REP-000030		Page:	19 of 25
Rev. :	01			

- BirdLife International. Yeşilirmak Delta. 2022.
<http://datazone.birdlife.org/site/factsheet/ye%C5%9Fil%C4%B1rmak-delta-iba-turkey>.
- Bjorge, A, et K.A. Tolley. Encyclopedia of Marine Mammals (3rd ed.). Academic Press, 2018.
- BlackSeaWatch. Species Catalog. BlackSeaWatch, n.d.
- Castro, Peter, and Michael E. Hubert. Marine Biology, Ninth Edition. McGraw-Hill Education, 2012.
- Clark, C. W., Ellison, W. T., Southall, B. L., Hatch, L., Van Parijs, S. M., Frankel, A., & Ponirakis, D. (2009). Acoustic masking in marine ecosystems: Intuitions, analysis, and implication. Marine Ecology Progress Series, 395, 201-222.
- Davies, T., J. Duffy, J. Bennie, and K. Gaston. "The nature, extent, and ecological implications of marine light pollution." Environmental Science, 2014: 347-355.
- EUNIS. European Red List of Habitats - Part 1: Marine Habitats. Luxembourg: European Union, 2016.
- Faggetter, B., & Bio, R. P. (2011). Towed Benthic Video Survey of Site 1 for the Canpotex Potash Terminal Project Disposal at Sea Application.
- Faggetter, Barb. Potential Impacts of Oil on Plankton and the Planktonic Larvae of Commercial Fisheries Species. PhD, Ocean Ecology, 2011.
- Gill JA, Norris K, Potts PM, Gunnarsson TG, Atkinson PW, Sutherland WJ (2001) The buffer effect and large scale population regulation in migratory birds. Nature 412: 436–438
- Gonçalves, A. A. (2013). Bioinvasion Through Ballast Water: A Global Concern. *Journal Of Ocean Technology*.
- Gray, L. M., & Greeley, D. S. (1980). Source level model for propeller blade rate radiation for the world's merchant fleet. *the Journal of the Acoustical Society of America*, 67(2), 516-522.
- Guardiola, Francisco A., Alberto Cuesta, José Meseguer, and Maria A. Esteban. "Risks of Using Antifouling Biocides in Aquaculture." International Journal of Molecular Science, 2012: 1541–1560.
- Hatch, L. T., Clark, C. W., Van Parijs, S. M., Frankel, A. S., & Ponirakis, D. W. (2012). Quantifying loss of acoustic communication space for right whales in and around a U.S. National Marine Sanctuary. *Conservation biology : the journal of the Society for Conservation Biology*, 26(6), 983–994.
- ISPRA. (2011). Linee guida per lo studio e la regolamentazione del rumore di origine antropica introdotto in mare e nelle acque interne (Parte seconda).
- IUCN. Marine mammals and sea turtles of the Mediterranean and Black Seas. Gland, Switzerland and Malaga, Spain: IUCN, 2012.
- Klinowska, M. (1990). Geomagnetic orientation in cetaceans: behavioural evidence. In *Sensory Abilities of Cetaceans* (pp. 651-663). Springer, Boston, MA. Kosyan, A. R., and B. V. Divinsky. "Chamelea gallina in the coastal waters of the Anapa bay bar (the Black Sea) as a carbonate sediment producer." *Oceanologia*, 2019.
- Laist, D. W., Knowlton, A. R., & Pendleton, D. (2014). Effectiveness of mandatory vessel speed limits for protecting North Atlantic right whales. *Endangered Species Research*, 23(2), 133-147.
- Living Black Sea. Black Sea Geography, Oceanography, Ecology, History - general information. 2016.
<http://blacksea-education.ru/e2.shtml>.

Marine mammals and sea turtles of the Mediterranean and Black Seas. Gland Switzerland and Malaga Spain: IUCN, 2012.

Marine Mammals Management Toolkit. 11 New IMMAs named in the Black Sea. November 2021. <https://marine-mammals.info/2021/11/02/new-immas-named-in-the-black-sea/> (accessed January 2022).

NASA. Earth Observatory. May 2016. <https://earthobservatory.nasa.gov/images/88017/bloom-in-the-black-sea> (accessed February 2022).

Normandeau, Exponent, T. Tricas, and A. Gill. 2011. Effects of EMFs from undersea power cables on elasmobranchs and other marine species. U.S. Department of the Interior, Bureau of Ocean Energy Management, Regulation, and Enforcement, Pacific OCS Region, Camarillo, CA. OCS Study BOEMRE 2011-09, 172 pages plus appendices.

Ocean Tools. C-Dye 530. n.d. <https://www.oceantools.co.uk/dyetection/c-dye-leak-tracing-dye#:~:text=C-Dye%20530%20has%20been%20specially%20formulated%20to%20give,at%20a%20suggested%20dosage%20of%20250ppm%20or%200.025%25> (accessed Mai 2022).

OilField Wiki. Oxygen scavengers. 2020. http://www.oilfieldwiki.com/wiki/Oxygen_scavenger (accessed May 2022).

Panigada, S., Pesante, G., Zanardelli, M., Capoulade, F., Gannier, A., & Weinrich, M. T. (2006). Mediterranean fin whales at risk from fatal ship strikes. *Marine Pollution Bulletin*, 52(10), 1287-1298.

Peine, F., Turnewitsch, R., Mohn, C., Reichelt, T., Springer, B., & Kaufmann, M. (2009). The importance of tides for sediment dynamics in the deep sea—Evidence from the particulate-matter tracer ²³⁴Th in deep-sea environments with different tidal forcing. *Deep Sea Research Part I: Oceanographic Research Papers*, 56(7), 1182-1202.

Plankton in the Black Sea. 2016. <http://blacksea-education.ru/plankton.shtml#:~:text=The%20portion%20of%20gelatinous%20plankton%20is%20unusually%20high,so%20-%20Evolution%20of%20the%20Black%20Sea%20Ecosystem%29>. (accessed 2022).

Popper, A. N., & Hawkins, A. D. (2018). The importance of particle motion to fishes and invertebrates. *The Journal of the Acoustical Society of America*, 143(1), 470-488.

Porte, C., and J. Albaigés. “Bioaccumulation Patterns of Hydrocarbons and Polychlorinated Biphenyls in Bivalves, Crustaceans, and Fishes.” Archives of environmental contamination and toxicity, 1994.

Pricop, M., Pazara, T., Pricop, C., Gheorghe, F., & Novac, G. (2018). New considerations regarding underwater noise in Black Sea. *Scientific Bulletin" Mircea cel Batran" Naval Academy*, 21(1), 1-13.

Richardson, K. M., Pollock, C., & Flower, J. O. (1995). Design of a switched reluctance sector motor for an integrated motor/propeller unit.

Ross, D. (1976). Cavitation. *Mechanics of underwater noise*, 202-242.

Schiopca, Francesca. Light pollution from research ship makes Artic zooplankton return to the deep. January 2018. <https://www.zmescience.com/science/light-pollution-plankton-26012018/#:~:text=Scientists%20discovered%20that%20zooplankton%20from%20the%20Arctic%20is,make%20these%20small%20organisms%20sink%20back%20into%20darkness>. (accessed May 2022).

Silvestrova, K. P., A G. Zatsepin, and S. A. Myslenkov . “Coastal upwelling in the Gelendzhik area of the Black Sea: Effect of wind and dynamics.” *Oceanology*, 2017.

- Souza Dias, F. Turbidity sensors. 2020. http://www.coastalwiki.org/wiki/Turbidity_sensors (accessed May 2022).
- Stanichnaya, Rimma, A Davidov, S Stanichny, and D Soloviev. "Coastal upwelling in the Black Sea as derived from satellite remote sensing." 35th COSPAR Scientific Assembly, 2004.
- Staples, Charles A., James B. Williams, Gordon R. Craig, and Kathleen M. Roberts. "Fate, effects and potential environmental risks of ethylene glycol: a review." *Chemosphere*, 2001: 377-383.
- Taormina, B., et al. "A review of potential impacts of submarine power cables on the marine environment: Knowledge gaps, recommendations and future directions." *Renewable and Sustainable Energy Reviews*, 2018: 380-391.
- Tyack, P. L. (2008). Implications for marine mammals of large-scale changes in the marine acoustic environment. *Journal of Mammalogy*, 89(3), 549-558.
- Ukpaka, C. P., & Amadi, S. A. (2014). Evaluation of Low Temperature Thermal Desertion (LTTD) method of treating cuttings. *American Multidisciplinary International Research Journal*, 2(1), 1-9.
- Versar. What are benthos? 2006. <http://www.baybenthos.versar.com/benthos.htm>.
- Wetzel, Robert. *Limnology: Lake and River Ecosystems*, 3rd Edition. Sand Diego: Academic Press, 2001.
- Yankova, M, et al. "Marine fishes in the Black Sea: recent conservation status." *Mediterranean Marine Science*, 2014: 366-379.

Chapter 8.0 – Offshore Risk of Accidental Releases

Sakarya Gas Field Development Project. Offshore Spill Risk Assessment And Emergency Response Plan, 2022.

Chapter 9.1 – Physical Climate Change Risk Assessment

- Arias, P.A., et al. 2021: Technical Summary. In *Climate Change 2021: The Physical Science Basis. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge, UK and New York, NY,USA, pp. 33–144. doi:10.1017/9781009157896.002.
- Avsar et al. 2018. Recent Sea Level Changes in the Black Sea from Satellite Gravity and Altimeter Measurements. *Remote Sensing and Spatial Information Sciences, Volume XLII-3/W4, 2018 GeoInformation For Disaster Management (Gi4DM)*, 18–21 March 2018, Istanbul, Turkey
- IPCC. 2013. *Climate Change 2013: The Physical Science Bases. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* [Stocker, T.F., D. Qin, G.-K. Plattner, M. Tignor, S.K. Allen, J. Boschung, A. Nauuels, Y. Xia, V. Bex and P.M. Midgley (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 1535 PP. <https://www.ipcc.ch/report/ar5/wg1/>
- IPCC. 2022. IPCC WGI Interactive Atlas: Regional Information (Advanced). Intergovernmental Panel on Climate Change. <https://interactive-atlas.ipcc.ch>

O'Neil B.C., Kriegler E., Riahi K., Ebi K.L., Hallegatte S., et al. (2014). A new scenario framework for climate change research: the concept of shared socioeconomic pathways. *Climatic Change*, 122: 387-400. doi: 10.1007/s10584-013-0905-2.

Van Vuuren et al. 2011. The Representative Concentration Pathways: An Overview. *Climate Change* 109, 5 (2011). [https://link.springer.com/article/10.1007/s10584-011-0148-z#citeas =](https://link.springer.com/article/10.1007/s10584-011-0148-z#citeas=)

World Bank Group. 2021. World Bank Climate Change Knowledge Portal. Climate Change Knowledge Portal. <https://climateknowledgeportal.worldbank.org/country/turkey/climate-data-projections>



golder.com